



check in client software update task list asynchron

1990

- 2001

Search

Ad
Sct
Scr

- Search only in Engineering, Computer Science, and Mathematics.
- Search in all subject areas.

"in" is a very common word and was not included in your search. [\[details\]](#)

Scholar Results 1 - 50 of about 2,690 for **check in client software update task list asynchronous**. (0.18 se

Soft Updates: A Technique for Eliminating Most Synchronous Writes [All articles](#) [Recent articles](#) [in the Fast Filesystem](#) - group of 23 »

MK McKusick, GR Ganger... - Proceedings of the 1999 Freenix track of the USENIX ... , 1999 - usenix.org
... When it is convenient, a background **task** can be run ... So, the filesystem **check** program, fsck, must be run over ... a disk write is initiated, the **update** described by ...

Cited by 47 - [View as HTML](#) - [Web Search](#)

[ps] Sharing To-Do Lists with a Distributed Task Manager - group of 2 »

T Kreifelts, E Hinrichs, G Woetzel - Proceedings of ECSCW, 1993 - gmd.de
... Figure 4 gives an outline of the **software** architecture. ... Within a domain, a client-server approach is used to ... compare our **Task Manager** with the **check-list** for ...
Cited by 48 - [View as HTML](#) - [Web Search](#)

A Mobile Agent for Asynchronous Administration of Multiple DBMS Servers - group of 4 »

H Takahashi, V Kavalan - Systems Management, 1998. Proceedings of the IEEE Third ... , 1998 - doi.ieeecomputersociety.org
... Hiroyuki Takahashi Vasantha Kavalan Informix **Software**, Inc ... 5. Mechanism to **check** the state and location of a ... agents launched from same IECC **client**, depending on ...
[Web Search](#)

[ps] Mobile agents for mobile computing - group of 3 »

R Gray, D Kotz, S Nog, D Rus, G Cybenko - Proceedings of the Second Aizu International Symposium on ... , 1997 - cs.dartmouth.edu
... A quick **check** of the local host name conrms the ... **Client** agents search for a service by providing a similar ... or PDA loaded with catalog and order-entry **software**. ...
Cited by 123 - [View as HTML](#) - [Web Search](#)

Distributed Work Management: An Application Area for Mobile Computing - group of 6 »

U Busbach - System Sciences, 1995. Vol. IV. Proceedings of the Twenty- ... , 1995 - doi.ieeecs.org
... on infrastructure issues of both hard- and **software**. ... a traveller explicitly contacts his company to **check** his data ... If such an information **update** is provided by ...
Cited by 2 - [Web Search](#) - [BL Direct](#)

Supporting interactive collaboration on the Web with CORK - group of 3 »

PL Isenhour, MB Rosson, JM Carroll - Interacting with Computers, 2001 - ee.upatras.gr
... be sent concurrent with or immediately following the view **update**. ... is not the case, single-user **software** must be ... object is consulted when a **client** attempts to ...
Cited by 19 - [View as HTML](#) - [Web Search](#)

Access to an instructional control laboratory experiment throughthe World Wide Web - group of 2 »

A Bhandari, MH Shor - American Control Conference, 1998. Proceedings of the 1998, 1998 - ieeexplore.ieee.org
... a remote site, the student needed **client software** and a ... Session Manager performs

an authentication **check** on the ... it started for servicing **client** requests, turns ...
Cited by 41 - Web Search - BL Direct

Toward computer-supported concurrent software engineering - group of 11 »
P Dewan, J Riedl - Computer, 1993 - ieeexplore.ieee.org
... will allow only one of them to **update** the file ... on these versions, including
check-in, **check-out**, and ... Assume that all **software** artifacts, such as RCS directories ...
Cited by 68 - Web Search - BL Direct

Distributed Coordination and Workflow on the World Wide Web - group of 5 »
A Grasso, JL Meunier, D Pagani, R Pareschi - Computer Supported Cooperative Work (CSCW), 1997 - Springer
... coordinators, that can interact with other **software** objects using ... sake of simplicity,
and in particular **Check** and **Kill** ... are no longer of interest for a **client** ...
Cited by 44 - Web Search - BL Direct

Distance Learning Software Usefulness and Usability: User-Centered Issues in Practical Deployment - group of 2 »
C Ruman, J Gillette - Current, 2001 - usdla.org
... item was the ability to **check** grades. ... the different user groups had with the Blackboard
software. ... Participants were given a written **task list/instruction sheet** ...
Cited by 1 - Cached - Web Search

Collaborative tools and processes to support software engineering shift work - group of 5 »
I Gorton, I Hawryszkiewycz, K Ragoonaden - BT Technology Journal, 1997 - Springer
... new options which generate the Notes database from a Gantt Chart, and **update** the
Gantt ... workflow **client software** ... **check-in** submit queries **check-out** file locking ...
Cited by 3 - Web Search - BL Direct

Distributed, collaborative software inspection - group of 2 »
V Mashayekhi, JM Drake, WT Tsai, J Riedl - **Software**, IEEE, 1993 - ieeexplore.ieee.org
... environmem8 Suite supports persistent data by **check-pointing** to ... 4 shows a distributed
system for **software** inspection ... gotiate with the producer to upgrade a fault ...
Cited by 55 - Web Search - BL Direct

MultECommerce: a distributed architecture for collaborative shopping on the WWW - group of 2 »
S Puglia, R Carter, R Jain - Proceedings of the 2nd ACM conference on Electronic commerce, 2000 -
portal.acm.org
... avoids problems with platform-specificity and **software update** associated with ... decide
it is time to **check out** and ... plus network delay between the **client** and the ...
Cited by 6 - Web Search

Mobile agents: The next generation in distributed computing - group of 5 »
R Gray, D Kotz, S Nog, D Rus, G Cybenko - Proceedings of the Second Aizu International Symposium on ...,
1997 - doi.ieeecomputersociety.org
... laptop when visiting customers and uses **software** that helps ... Unlike traditional
client-server computing, agents continue to ... A quick **check** of the local host name ...
Cited by 39 - Web Search

book] Optimization of a Real-time Primary-backup Replication Service - group of 8 »
H Zou, F Jahanian - 1998 - doi.ieeecs.org
... counterpart are the decou- pling of **client** request processes ... i = B i initially 2.
Check schedulability test ... second smallest term, or the **update** period reaches ...
Cited by 7 - Web Search - Library Search - BL Direct

The World Wide Web as Enabling Technology for CSCW: The Case of BSCW - group of 11 »

R Bentley, T Horstmann, J Trevor - Computer Supported Cooperative Work (CSCW), 1997 - Springer
... by the **client**, for example to **check** if a ... the server API without requiring additional
client software on users ... for downloading; to obtain the **software**, use our ...
Cited by 126 - Web Search - BL Direct

Atomic broadcast in asynchronous crash-recovery distributed systems - group of 5 »
L Rodrigues, M Raynal - Proc. of IEEE ICDCS, 2000 - doi.ieeecs.org
... fault-tolerant services by using **software-based** replication ... deliver the same set
of **updates** in the ... retrieve (Proposedp); replay (); a fork **task** f sequencer ...
Cited by 26 - Web Search - BL Direct

Java-Based Mobile Asset Location - group of 7 »
L Deri - Mobile Networks and Applications, 2001 - Springer
... This **check** is neces- sary because some assets, although they are off and ... from remote
and it does not require any **software** to be installed in the **client** side ...
Web Search - BL Direct

Parallel processing in heterogeneous cluster architechtures using JavaPorts
DG Galatopoulos, ES Manolakos - Crossroads, 1999 - portal.acm.org
... This reference can be used to **check** if the ... and be willing to offer them to the **client**. ...
decided theJavaPorts system produces reusable **software** components, the ...
Cited by 4 - Web Search

Architecture-based runtime software evolution - group of 16 »
P Oreizy, N Medvidovic, RN Taylor - Software Engineering, 1998. Proceedings of the 1998 (20th) ... , 1998 -
ieeexplore.ieee.org
... clock system availability is not required, system **updates** ... currently provide a mechanism
to **check** the consistency ... Adaptive evolution changes the **software** to run ...
Cited by 260 - Web Search - Library Search - BL Direct

An expert system shell for aerospace applications - group of 4 »
BE Prasad, TS Perraju, G Uma, P Umarani - Expert, IEEE [see also IEEE Intelligent Systems and Their ... , 1994
- ieeexplore.ieee.org
... the **software** triggers an alarm ... many object-oriented database sys- tems, any attribute
update in REX ... pipe sysrenu cuipecred , **check** up") (a) Knowledge: If the ...
Cited by 5 - Web Search - BL Direct

Back to the future: pen and paper technology supports complex group coordination - group of
3 »
S Whittaker, H Schwarz - Proceedings of the SIGCHI conference on Human factors in ... , 1995 - portal.acm.org
Cited by 29 - Web Search - BL Direct

book] Audiofile: A Network-transparent System for Distributed Audio Applications - group of 17
»
TM Levergood... - 1993 - hpl.hp.com
... used for desktop audio, we discuss the network protocol, the **client** library, and ...
brief discussion of plans for future work and explain how to get the **software**. ...
Cited by 39 - View as HTML - Web Search - Library Search

Towards a POSIX Standard for Software Administration - group of 5 »
B Archer - Proceedings of the 7th USENIX conference on System ... , 1993 - portal.acm.org
... Modification takes place in the source, target or **client** roles and is the ... During
the selection phase of a **task** a **check** is made for dependent **software**. ...
Cited by 7 - Web Search

A cooperative approach to support software deployment using the Software Dock - group of

10 »

RS Hall, D Heimbigner, AL Wolf - **Software** Engineering, 1999. Proceedings of the 1999 ..., 1999 - ieeexplore.ieee.org

... The install, **update**, reconfigure, adapt, and remove soft- ware ... needs only the specification of a **software** release to ... exactly what it needs to finish its **task** ...

Cited by 90 - Web Search - [BL Direct](#)

[\[ps\] FTS: A Real-time Monitor for Multiprocessor Music Synthesis](#) - group of 4 »

M Puckette - Computer Music Journal, 1991 - crca.ucsd.edu

... FTS can **check** the argument types of a message against the ... Utilities Provided by FTS

FTS provides **software** packages to do ... sends it to a prearranged **client** ...

Cited by 36 - [View as HTML](#) - Web Search

[Hector: an agent based architecture for dynamic resource management](#) - group of 4 »

SH Russ, K Reece, J Robinson, B Meyers, D Rajan, L ... - Concurrency, IEEE [see also IEEE Parallel & Distributed ..., 1999 - ieeexplore.ieee.org

... LSF: Load Sharing and Batch Queuing **Software**," Plat- form ... message and uses that information to **update** the machine ... an SA running its peri- odic status-**check** ...

Cited by 20 - Web Search - [BL Direct](#)

[A generic multicast transport service to support disconnected operation](#) - group of 16 »

S Maffei, W Bischofberger, KU Mätzel - Wireless Networks, 1996 - Springer

... of receive is used to **check** whether a ... repli- cation-based approach influences **software** development in ... synchronize any number of remote **client** directories with ...

Cited by 20 - Web Search

[Supporting cooperation in the SPADE-1 environment](#) - group of 5 »

S Bandinelli, E Di Nitto, A Fuggetta - Software Engineering, IEEE Transactions on, 1996 - ieeexplore.ieee.org

... IEEE TRANSACTIONS ON SOFTWARE ENGINEERING, VOL ... tools by exploiting an inter-Q **client** communication mechanism ... 2) Agenda displays the **list** of tasks assigned to a ...

Cited by 91 - Web Search - [BL Direct](#)

[\[book\] Transaction Processing: Concepts and Techniques](#)

J Gray, A Reuter - 1992 - books.google.com

... Applications Edited by Ahmed K. Elmagarmid AGuide to Developing Client/Server SQL ...

3.7 Fault Model and **Software** Fault Masking 119 ... 7.8.2 Update Mode Locks 409 ...

Cited by 1954 - Web Search - [Library Search](#)

[F-Timer: Dedicated FPGA to Real-Time Systems Design Support](#) - group of 3 »

A Parisoto, A Souza Jr, L Carro, M Pontremoli, C ... - Real-Time Systems, 1997. Proceedings., Ninth Euromicro ..., 1997 - doi.ieeecs.org

... interval timers, on which the **software** implemented clocks ... Clock interrupt handling routines **update** time and date variables and **check**, mostly unsuccessfully ...

Cited by 3 - Web Search

[Object Modeling with UML, Behavioral Modeling](#) - group of 4 »

G Overgaard, B Selic, C Bock - 2000 - omg.org

... Gunnar Overgaard, Rational **Software** gunnar@it.kth.se ... predecessor guard sequence number return value message name argument **list** ... Explicit **asynchronous** ...

Cited by 2 - [View as HTML](#) - Web Search

[The SIMBA User Alert Service Architecture for Dependable Alert Delivery](#) - group of 6 »

YM Wang, P Bahl, W Russell - IEEE Int. Conf. on Dependable Systems and Networks (DSN), 2001 - doi.ieeecs.org

... logged on, third-party communication **client** **software** hanging), or ... services, making subsequent changes a cumbersome **task**. ... she only needs to **update** MyAlertBuddy. ...

Cited by 6 - Web Search

Coordinating Java Agents for Financial Applications on the WWW - group of 2 »

P Ciancarini, A Knoche, D Rossi, R Tolksdorf, F ... - Proc. of The Practical Application of Agents and Multi- ... , 1997 - cs.unibo.it

... Being based on a **client-server software** architecture, the ... parts: either the server, or the **client**, or the ... viewer that allows a first glance **check** of current ...

Cited by 9 - Cached - Web Search

The BaBar Prompt Reconstruction Manager: A Real Life Example of a Constructive Approach to Software ... - group of 6 »

FS Tehrani... - CHEP2000, Padova (Italy), 2000 - chep2000.pd.infn.it

... to implement some kind of data quality **check** to prevent ... Design: we needed to normalize the **software** structure in ... XTC files directly, acting as a **client** for the ...

Cited by 6 - View as HTML - Web Search

Remote DOS disk server on a unix machine

SR Bose, SN Maniyar, XR Srivathsan, G Barus, SN ... - TENCON'91.1991 IEEE Region 10 International Conference on ..., 1991 - ieeexplore.ieee.org

... The **client software** has been written over the UDP/IP ... A **task** may be either asleep, running or blocked. ... that simply loops through the circular **list** of tasks ...

Web Search

Sending Commands and Managing Processes across the BABAR OPR Unix Farm through C++ and CORBA - group of 3 »

G Grosdidier, S Dasu, T Glanzman, T Pavel - CHEP2000, Padova, Winter, 2000 - chep2000.pd.infn.it

... used containers classes from the Rogue Wave **Software** Template Library ... The **client** is used for many very different purposes: - to **check** the status of the ...

Cited by 3 - View as HTML - Web Search

[doc] Preliminary Design of a Lightweight Workflow Server

R Tagg... - 8th Australasian Conf on Information Systems, Australia, 1997 - cis.unisa.edu.au

... build time, both Designers and Owners (to **check** the correct ... 6 the user applies a suitable **client** tool to ... As discussed above, the **software** model would be geared ...

Cited by 9 - View as HTML - Web Search

Methods for task allocation via agent coalition formation - group of 13 »

O Shehory, S Kraus - Artificial Intelligence, 1998 - lirmm.fr

... be advantageous (as discussed in Section 7). In such cases **task** allocation and ... Since a single agent cannot always satisfy a **client**'s order, close cooperation ...

Cited by 224 - View as HTML - Web Search

[book] An Asynchronous Parallel Supernodal Algorithm for Sparse Gaussian Elimination - group of 7 »

JW Demmel, JR Gilbert, X Li - 1997 - epubs.siam.org

... a publicly released sequential **software** library, SuperLU ... step of elimination, column 1 will **update** neither column ... Processor 1 gets a **task** Task 1 containing ...

Cited by 59 - Web Search - Library Search - BL Direct

Report from the NSF workshop on workflow and process automation in information systems - group of 3 »

A Sheth, D Georgakopoulos, SMM Joosten, M ... - ACM SIGMOD Record, 1996 - portal.acm.org

... the involved information systems and other **software**, and the ... management systems have open **client-server** architectures ... approaches (eg, **check-in/check-out**, pass ...

Cited by 107 - Web Search - BL Direct

The design and evaluation of a virtual distributed computing environment - group of 7 »

H Topcuoglu, S Hariri, D Kim, Y Kim, X Bing, B Ye, ... - Cluster Computing, 1998 - Springer

... only between a server and a **client**, which restricts ... a URL connection to the VDCE Server **software** within the ... Step 7 **Update** S remote , and **update** request in the ...
Cited by 6 - Web Search - BL Direct

The Michigan Internet AuctionBot: a configurable auction server for human and **software** agents - group of 9 »

PR Wurman, MP Wellman, WE Walsh - Proceedings of the second international conference on ... , 1998 - portal.acm.org

... The auctioneer must also **check** whether any active bids ... with explicit support for user- written **software** agents. The **client** code is publicly available, and we ...
Cited by 322 - Web Search

Fine-grained revision control for collaborative **software** development

B Magnusson, U Asklund, S Minör - ... of the 1st ACM SIGSOFT symposium on Foundations of **software** ... , 1993 - portal.acm.org

... that merging will be required at **check-in**. ... **Software** components are often organized according to their ... oriented languagea, since the **update** patterns differ from ...
Cited by 61 - Web Search - BL Direct

Avoiding a middleware muddle - group of 2 »

J Thompson - **Software**, IEEE, 1997 - ieeexplore.ieee.org

... and, depend- ing on the integration requirements, **check** back at some ... be described by five models (Systems **Software** Architectures Research ... 3-tier **client**-to-app. ...
Cited by 9 - Web Search - BL Direct

Mobile computing with the Rover toolkit - group of 10 »

AD Joseph, JA Tauber, MF Kaashoek - Computers, IEEE Transactions on, 1997 - ieeexplore.ieee.org

... the Rover toolkit, a set of **software** tools that ... The operation may also **check** other objects to determine ... was originally performed at the **client** on potentially ...
Cited by 223 - Web Search - Library Search - BL Direct

GLADE: a framework for building large object-oriented real-time distributed systems - group of 2 »

L Pautet, S Tardieu - Object-Oriented Real-Time Distributed Computing, 2000.(ISORC ... , 2000 - ieeexplore.ieee.org

... memory footprint and CPU usage of those **client** only partitions ... the programmer may want to **check** that the ... A **software** upgrade would require no service interruption ...
Cited by 17 - Web Search

Specifying **asynchronous** transfer of control - group of 4 »

P Krishnan, PD Mosses - Proceedings of the Second International Symposium on Formal ... , 1992 - coscweb2.cosc.canterbury.ac.nz

... code fragments such as data-base **updates** may represent ... above but with the additional **check** that the ... The presence of a relevant **software** interrupt activates ...
Cited by 3 - View as HTML - Web Search

The World-Wide Web As A Platform For Supporting Interactive Concurrent Engineering - group of 2 »

M Hanneghan, M Merabti, G Colquhoun - 8th International Conference of Advanced Information Systems ... , 1996 - cms.livjm.ac.uk

... other appropriate action (at present we inform the user that they should upgrade their browser **software** before continuing ... **check-in** Client object transferred ...
Cited by 4 - View as HTML - Web Search - BL Direct

Software engineering support for reliably interconnecting legacy virtual environments - group of 5 »

D Welch, J Putilo - ... Workshop on [incorporating Computer Aided Software ..., 1997 - doi.ieeecs.org
... of the 8th International Workshop on **Software** Technology and ... **check** the Move rule
before it can acknowledge the ... This message is an **update** of the object location ...
Web Search

Google ►
Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google